



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/561,191

12/16/2005

Masayuki Tsuchiya

1254-0300PUS1

3952

2292 7590 09/23/2010
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

CARLSON, KAREN C

ART UNIT

PAPER NUMBER

1656

NOTIFICATION DATE

DELIVERY MODE

09/23/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10561191	12/16/05	TSUCHIYA ET AL.	1254-0300PUS1

BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

Karen Cochrane Carlson

ART UNIT	PAPER
1656	20100920

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

In the transmittal filed September 16, 2010, Applicants request that the IDS filed August 19, 2010 be reviewed and initialed by the Examiner. The IDS filed August 19, 2010 was reviewed, initialed, and mailed to Applicants on September 10, 2010.

A copy of the August 19, 2010 IDS was re-sent with the transmittal filed September 16, 2010. If re-initialed, this copy of the August 19, 2010 IDS will result in the references being listed twice on the patent file front. Therefore, the references have been lined-through to prevent duplication of the references being printed twice on the patent file front.

/Karen Cochrane Carlson/
Primary Examiner, Art Unit 1656